



Doorbell Access



Outdoor
DBA-5P




Indoor
DBA-5



Visible Door Opening



Open Door by Card and Password



Personnel Management

Outdoor

DBA-5P is a smart IoT doorbell access control product that integrates functions such as remote video door opening with mobile phone, two-way voice intercom with mobile phone, remote video monitoring, abnormal alarm push, access control and visitor management. Through the modern Internet of Things technology, combined with the Internet of Things platform, the intelligentization and cloud deployment of security products are realized. Products are widely used in offices, villas, residences, communities and other places.



DBA-5P



Appearance Material: PVC+ABS(anti-UV) + aluminum alloy
 Resolution: Video 1920x1080@60fps or 2592x1900@25fps
 Picture 1920x1080

Processor: High-performance single-core ARM chip/ISP/NPU
 Identification Method: EM\MF\NFC\Desfire Card\Password
 User Capacity: 1000

Storage Capacity: Standard 32G(64G/128G optional)

Input: 1 Exit button, 1 door magnetic


Output: 1 Lock, 1 Tamper switch

Working Voltage\current: DC12V±10%\1A

Working Environment: -20°C-60°C /10%-90%

Size: L197XW79XH57.5mm

IP66



Indoor

DBA-5P is a smart IoT doorbell access control product that integrates functions such as remote video door opening with mobile phone, two-way voice intercom with mobile phone, remote video monitoring, abnormal alarm push, access control and visitor management. Through the modern Internet of Things technology, combined with the Internet of Things platform, the intelligentization and cloud deployment of security products are realized. Products are widely used in offices, villas, residences, communities and other places.



DBA-5



Appearance Material: PVC+ABS(anti-UV) + aluminum alloy
 Resolution: Video 1920x1080@60fps or 2592x1900@25fps
 Picture 1920x1080

Processor: High-performance single-core ARM chip/ISP/NPU
 Identification Method: EM\MF\NFC\Desfire Card\Password
 User Capacity: 1000

Storage Capacity: Standard 32G(64G/128G optional)

Input: 1 Exit button, 1 door magnetic


Output: 1 Lock, 1 Tamper switch

Working Voltage\current: DC12V±10%\1A

Working Environment: -20°C-60°C /10%-90%

Size: L186XW70.4XH36mm

IP65



Project Ancillary Products

Electric Lock

| Picture | Electro-magnetic Lock | Electro-magnetic Lock |
|-------------------------|---|---|
| |  |  |
| Model | ASL-3201MS | ASL-3201ATS |
| Maximum Pull | 80kg (350Lbs) linear pull | |
| Signal Output | — | Lock status signal NO, COM contact |
| Protection Class | IP68 | |
| Door Type Applicable | Wooden Door, Glass Door, Metal Door, Fireproof Door | |
| Working Voltage\Current | 12V/400m(±10%) 24V/200mA(±10%) | |
| Working Environment | -20 ~+55 °C(-4—131°F) | |
| Size | L190xW32xH22.5(mm) | L175×W39.5×H26.5(mm) |



| Picture | Electric Control Lock |
|-------------------------|--|
| |  |
| Mode | ASL-3702 |
| Material | Iron(Electroplating Treatment) |
| Door Type Applicable | Wooden Door, Glass Door, Metal Door, Fireproof Door |
| Working Voltage\Current | 12V/300mA(±10%) |
| Working Environment | -20~+55 °C(-4—131°F) |
| Size | L126×W34.5×H26(mm) |

Power

| Picture | Outdoor & Waterproof Power Supply | Indoor Power Supply |
|---------------------|---|---|
| |  |  |
| Mode | ASCB-6700 | ASCB-630P |
| Input Power | AC110V~220V | |
| Output Power | DC 12V / 5A | |
| Protection Class | IP65 | — |
| Material | Steel Plate | Aluminum alloy |
| Working Temperature | -20°C~+55°C(-4—131°F) | |
| Working Humidity | 0~95% | |
| Size | L273xW175xH72(mm) | L168×W76×H48(mm) |



Make Your **DOORS** Smarter

Typical Applications

Courtyard Doors

Waterproof, high temperature resistant



Automatic Glass Doors

Fast pass, easy to install

Office Glass Doors

Easy to install, easy to manage



Tuya Empowering



As Smart As You Wish

Through the TUYA App, we can also add cameras, alarms, fire fighting equipment, smart sensors and more for all-round intelligent and integrated management of your home.

Video Surveillance Management

Various types of cameras can be added through the TUYA App, allowing for different scenarios such as offices, villas and flats.

Smart Camera



Smart PTZ Camera



Infrared Camera



Sensor

Various types of smart sensors can be added through the TUYA App, which enables intelligent management of PIR human infrared detectors, temperature and humidity sensors, smoke detectors, environmental sensors, vibration sensing and brightness sensors.

Sensor Device



PIR body infrared detector



Temperature and humidity sensor

Lights

The TUYA App allows you to add a variety of patio lights, spotlights, sensor lights, ambient lights and wall lights for intelligent management of lighting.

Light Device



Spotlight



Patio light






Visible Door Opening



Open Door by Card and Password



Personnel Management



www.ansoncorp.com